

# Contact Details Collection – BCL Operations ("COPDAT")

# General User Guideline

v1.9

### Notes and comments on the data collection

#### 1) Background

With the following, the BCL Operations Department aims at updating its contact details of Luxembourgish credit institutions. This data collection is conducted on a quarterly basis and includes the most important referential information. The rationale behind this exercise is to direct any request immediately and accurately to the correct addressee. Furthermore, this data collection will help to make the communication between the BCL and its counterparties more efficient, especially in the event of a possible incident to prevent any adverse outcomes.

#### 2) Instructions

Please note the following when completing the form:

- There are six domains in total, i.e.
  - 1) "Board / Management" (BM),
  - 2) "Treasury / Liquidity Management" (TLM),
  - 3) "Collateral Management" (CM),
  - 4) "Settlements / Payments Management" (SPM),
  - 5) "TARGET-LU Management" (TRGT), and
  - 6) "Regulatory and Legal Management" (RLM).
- For each domain, the "Main Contact" (MC), "Alternate Contact" (AC) and "Generic Contact" (GC) are collected.
- MC and AC are personal contacts that must be different and are mandatory. GC refers to general group contacts/distribution lists and must be indicated to the extent possible.
- Depending on the size, the internal structure/organisation and the business model of the bank, the six domains may overlap to a certain extent; the following information may serve as a guide to identify the correct contacts:

| Board / Management  → COO       | BM<br>→ COO | <ul> <li>the COO is responsible for ensuring the functioning of all operational aspects of the bank</li> <li>a COO monitors the functional, technical and regulatory dimensions of the bank's operations</li> <li>in case a COO is not assigned, the operational responsibility is typically ascribed to a Head of Operations (Department/Directorate/Division)</li> </ul> |
|---------------------------------|-------------|--|
| Treasury / Liquidity Management | TLM         | <ul> <li>implementation and analytical support of all monetary policy operations (i.e. open market operations and standing facilities)</li> <li>coordination of the Minimum Reserves Requirement (MRR)</li> </ul>  |



| Collateral Management             | СМ   | <ul> <li>administration of collateral assets pledged to secure financial transactions (bilateral and trilateral collateral management) vis-à-vis the BCL</li> <li>assessing the eligibility for monetary policy operations, valuation, risk characteristics of collateral assets</li> <li>monitoring haircuts, margin requirements and collateral positioning</li> <li>expertise on ECMS (Eurosystem Collateral Management System)</li> </ul>  |
|-----------------------------------|------|--|
| Settlements / Payments Management | SPM  | <ul> <li>focuses on the execution and processing of SEPA (Single Euro Payments Area) payments between counterparties</li> <li>overseeing settlement of trades, payments and transfers (involving various payment systems and clearing houses) of commercial bank money</li> <li>managing SEPA settlement accounts</li> </ul>   |
| TARGET-LU Management              | TRGT | <ul> <li>technical expertise on payment system infrastructure TARGET-LU where TARGET provides Central Liquidity Management (CLM) service, including the settlement of central bank operations through Main Cash Accounts (MCAs), large value Real-Time Gross Settlement (RTGS) for payments through RTGS Dedicated Cash Accounts (DCAs), cash payments in relation to securities settlement through T2S Dedicated Cash Accounts (T2S DCAs) and settlement of instant payments through TARGET Instant Payment Settlement (TIPS) Dedicated Cash Accounts (TIPS DCAs)</li> <li>managing of services for Ancillary System (AS) settlement through sub-accounts, RTGS AS technical accounts, AS guarantee fund accounts and TIPS AS technical accounts</li> <li>administration of TARGET standards, technologies, protocols, best practices and security</li> </ul> |
| Regulatory and Legal Management   | RLM  | <ul> <li>ensuring adherence with regulatory requirements and reporting processes</li> <li></li></ul>   |

- MC and AC (and GC, to the extent possible) must be indicated in all cases, irrespective of whether the bank organises the six domains in a work-sharing intra-group setup or vis-à-vis third parties (e.g. comanaged format, three-party-agreements).
- If a domain is not covered by the bank, please indicate for MC and AC the contacts that are thematically closest to the domain in question.

### 3) Technical remarks to the template

### Please note the following:

- Contact data is collected using a standardised template with pre-defined elements. Adding additional elements is not possible and will lead to a rejection of the file.
- The data set comprises the following elements:



| BCL_CONTACT_TYPE |         |         |         |  |
|------------------|---------|---------|---------|--|
| BM CEO           | CM_MC   | TRGT_MC |         |  |
| BM CFO           | CM_AC   | TRGT AC |         |  |
| BM_COO           | CM_GC   | TRGT_GC |         |  |
| TLM_MC           | SPM_MC  | RLM_MC  |         |  |
| TLM_AC           | SPM_AC  | RLM_AC  |         |  |
| TLM_GC           | SPM_GC  | RLM_GC  |         |  |
| BCL_TIME_PERIOD  |         |         |         |  |
| YYYY-Q1          | YYYY-Q2 | YYYY-Q3 | YYYY-Q4 |  |

Please indicate the current quarter when making the data submission.

#### BCL SAME CONTACT AS

A contact fulfilling several functions can be assigned to another domain by adding the acronym above in the field "BCL-SAME\_CONTACT\_AS", i.e. it is not necessary to fill in identical information several times.

By example, if the MC of the TLM domain is also the relevant MC for the TRGT domain, then please insert "TLM\_MC" in the "BCL-SAME\_CONTACT\_AS" field of the "TRGT\_MC" line - and leave all subsequent data fields of this line blank.

#### BCL\_CONTACT\_TITLE

MR MS

Further potential title details are not permitted. Please make sure to comply with capital letters.

#### BCL\_FIRST\_NAME

A free text input is permitted.

#### BCL\_SURNAME

A free text input is permitted.

#### BCL\_FUNCTION

A free text input is permitted. However, please refrain from separating longer descriptions with a comma, as this counteracts the file format (\*.csv). For longer function specifications, please use hyphens or slashes.

#### **BCL PHONE**

The telephone number must comply with the following convention: +352xxxxxxxxx Please do not use spaces between the numbers and start with a + sign in front of the number. By example, a telephone number would look like: +352123456789. Please note that only Luxembourgish phone numbers are accepted.

#### BCL\_EMAIL

The email format must comply with the standard convention.

The file format of the template is set to \*.csv (comma-separated value). CSV files are plain text files and hence can be opened and edited in any text editor; please avoid 'Text to columns' function offered by some applications when editing the file as this can reinterpret the data set. We strongly recommend the use of a Notepad application. Please submit the template in \*.csv format.



| STRUCTURE, STRUCTURE ID, ACTION, BCL_FREQ, BCL_CONTAC | CT TYPE, TIME | PERIOD, OBS | VALUE, BCL | SAME CONT | ACT AS, BCI | CONTACT | TITLE, BCL FIRS | ST NAME, BCL SURN |
|---|---------------|-------------|------------|-----------|-------------|---------|-----------------|-------------------|
| datastructure, BCL: BCL COPDAT(1.0), R, Q, BM CEO,    |               | , .         | ,          | ,-        | -,          | - , -   | , –             |                   |
| datastructure, BCL: BCL COPDAT(1.0), R, Q, BM CFO,    | , ,           | ,           | ,          | ,         | ,           | ,       | ,               |                   |
| latastructure, BCL: BCL COPDAT(1.0), R, Q, BM COO,    | ,,            | ,           | ,          | ,         | ,           | ,       | ,               |                   |
| atastructure, BCL: BCL COPDAT(1.0), R, Q, TLM MC,     | ,,            | ,           | ,          | ,         | ,           | ,       | ,               |                   |
| datastructure, BCL: BCL COPDAT(1.0), R, Q, TLM AC,    | ,,            | ,           | ,          | ,         | ,           | ,       | ,               |                   |
| datastructure, BCL: BCL COPDAT(1.0), R, Q, TLM GC,    | ,,            | ,           | ,          | ,         | ,           | ,       | ,               |                   |
|   |               |             |            |           |             |         |                 |                   |

# Submission of template

We kindly ask to submit the filled-in template (\*.csv) either via the secured e-file® (Fundsquare) or SOFiE® (Wordline) channel.

When choosing the <u>e-file<sup>®</sup> channel</u>, the file naming convention is:

OTHREP\_{ReportingAgentCode}\_COPDAT\_1\_{Timestamp}.csv

Important remark: Please submit the file in the e-file "Sending types: <u>CD</u>" and not via the e-file "Sending types: <u>OTH</u>".

#### Where:

- {ReportingAgentCode} refers to the RIAD code, the unique identifier published by both the ECB and the BCL,<sup>1</sup>
- {Timestamp} must be the submission date and time (YYYY-MM-DD HHmm).

Example: OTHREP\_LUB00xxx\_COPDAT\_1\_2025-07-29\_1425.csv

When choosing the <u>SOFiE®</u> channel, the file naming convention is:

OTXREP-B0{NOSIG}-COPDAT\_1\_{Timestamp}.csv

#### Where:

- {NOSIG} refers to the CSSF three digit ID, the unique identifier published by the CSSF,
- {Timestamp} must be the submission date and time (YYYY-MM-DD HHmm).

Example: OTXREP-B0xxx-COPDAT\_1\_2025-07-29\_1135.csv

For both, the secured e-file<sup>®</sup> or SOFiE<sup>®</sup> channel it holds that the COPDAT interface will check the submitted file for completeness and correctness. If errors occur, the file is rejected and an error report, listing and describing all errors made, will be sent to the submitting counterparty. In consequence, please resubmit a corrected file with a new time stamp.

The RIAD code (Register of Institutions and Affiliates Database) is ECB's Monetary Financial Institutions (MFIs) unique identifier and is assigned by the National Central Bank of the country in which the MFI is domiciled, i.e. in case for Luxembourg the BCL. The RIAD code is available online via: ECB > Statistics (https://www.ecb.europa.eu/stats/html/index.en.html).



Example e-file<sup>®</sup>: OTHREP\_LUB00xxx\_COPDAT\_1\_2025-07-29\_1425.csv

OTHREP\_LUB00xxx\_COPDAT\_1\_2025-07-29\_1515.csv

Example SOFiE<sup>®</sup>: OTXREP-B0xxx-COPDAT\_1\_2025-07-29\_1135.csv

OTXREP-B0xxx-COPDAT\_1\_2025-07-30\_1030.csv

If the data transfer was successful and the details in the template were specified correctly, you will receive a confirmation report about the successful submission.

# Final provisions and data protection

Banks are obliged to cautiously check the completeness and accuracy of the information provided in the \*.csv template. Banks are solely responsible for any errors in content.

All data provided will be treated with the greatest confidentiality, in line with the European Union's General Data Protection Regulation, and will be used for the purposes described in this project only. For further information on the BCL's data protection policy, please consult the following website:

https://www.bcl.lu/fr/support/Cookies/politique-de-confidentialite/index.html

# Contact

For any additional information or if you encounter any issues with the completion and upload of a file, please do not hesitate to contact <a href="mailto:copdat@bcl.lu">copdat@bcl.lu</a>.



# ~ Appendix – Feedback report ~

In addition to purely attribute-based errors, which are described in detail in the respective "COPDAT - Feedback report" after submission, the following technical errors may occur in line with the submission process.

| Error ID         | Error Description   |  |
|------------------|---|--|
| FORMATTING_ERROR | Data format error: Please check the content of the submitted file |  |

This is an indication of a technical error in the overall structure of the template/file. Possible sources of error are:

- added input lines with additional content
- deleted input lines
- added additional attributes
- deleted attributes
- modified syntax
- modified separators (e.g. semicolons or slashes instead of commas)

| Error ID | Error Description                                |
|----------|--|
| ERROR    | An error occurred when processing the file: null |

This is an indication of a technical error in the sequence of input lines. Possible sources of error are:

added blank lines between input lines

| Error ID | Error Description   |
|----------|---|
| ERR001   | A file with this filename 'XXX.csv' has already been processed. |

This is an indication of a gateway and file reception error. Possible sources of error are:

• the file name is identical to a file that has already been submitted

| Error ID | Error Description   |
|----------|---|
| ERR001   | The name of the file does not respect the required naming convention. |

This is an indication of a gateway and file reception error. Possible sources of error are:

- the file name specification has been ignored
- additional letters, numbers or special characters have been inserted
- the file extension is incorrect